

MEASUREMENT BOOK

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	Quantity vide, 48 per prepared in axial book - and page no of: (52) :- Nil.	3	4	5	6	7	8
	(44) 25mm dia 2mm thick. Quantity vide, 48 per prepared in axial book and page no of: (52) :- Nil.						
	(45) Supplying and flush cementing tank wooden box without front plank, made of not less than 12mm thick wood, after due care cutting necessary necessary patch work complete. Quantity of material in charge work. (200x300x76mm) of 48 per Specifications. Quantity vide, 48 per prepared in axial book and page no of: (52) :- Nil.						

CRS. 116.00

M. A. R. 57 (Rule 116)
Measurement Book

No. E

542028

Serial No.	From	To					
Name of work	Name of Contractor of nature of Agency						
Date of commencement of work							
Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(46)	b) 10"x7"x3" (1254x178x76mm) Quantity vide, 48 per prepared in axial book - and page no of: (52) :- Nil. CRS. 87.00						-
(47)	c) 8"x6"x3" (203x152x76mm) Quantity vide, 48 per prepared in axial book - and page no of: (52) :- Nil. CRS. 73.00						-
(48)	wiring for lighting/power circuit using one of 100V grade, multi 18 and copper conductor. Single core cable in						PVC insulates one cable in

open on concealed system of wiring I group. Materials... of 1.5 Sqmm. of 48 per Specifications and direction of engineer in charge work.

MEASUREMENT BOOK

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Quantity v. id. AS per prepared in excel book and page no of:- (52):-				CRS. 18.60	Nil	—
	(49) b) 2.5 Spmm. Quantity v. id. AS per prepared in excel book and page no of:- (53):-				CRS. 29.20	Nil	—
	(50) c) 4 Spmm. Quantity v. id. AS per prepared in excel book and page no of:- (53):-				CRS. 42.10	Nil	—
	(51) Point wiring using Copper wire with Switch Supplying and wire, adopting deep system in existing pvc conduit using Coping using Copper pvc raveled with. Straps 2x 1.5 Spmm Copper wire with a						

Chaps flush type SP Cement Switch shall be fixed on the existing

M. A. R. 57 (Rule 116)
Measurement Book

No. E

542023

Serial No. From To
Name of work
Name of Contractor of nature of Agency
Date of commencement of work

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Plastic sheet/gang box the other end of the wire's shall be terminated with sufficient length in or over pvc raveled black complete let out outlet etc as per specification and directions of engineer in charge work.						
	Quantity v. id. AS per prepared in excel book & Page no of:- (54):-				CRS. 17.60	Nil	—
	(52) Supplying GA flush/protected type Socket and a Gang's flush protected type SP Switch either Surface/flush mounting in a existing gang box on in or 4mm thick plastic sheet and fixing over a flush mounted wooden box and wiring using necessary Capacity wire as required b) Chaps						

2/5 way etc as per Specification and direction of engineer in charge work.

MEASUREMENT BOOK

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	Quantity vide, A8 per prepared in excel book	3	4	5	6	7	8
	53 Supplying and fixing hygienic bonded hard plastic sheet 3mm thick with necessary fittings for fixing switches, regulators etc. and fixing on existing wooden meter base using N.F. Screws etc as per specifications and directions of engineer in charge work.					Nil	
	Quantity vide, A8 per prepared in excel book					CRS. 150.00	
	54 Supplying, fixing wiring earth electrode for grounding conductors IC. Cables and other requirements on the meter board using 4mm dia 1.90 Thick GI pipe 25 rod long buried in a pit. The pit should be filled with equal proportion of Sand and chert ball 150mm diameter the pipe to complete depth of 0.8 per					CRS. 150.00	
						CRS. 150.00	

M. A. R. 57 (Rule 116)
Measurement Book

No. E

542040

Serial No.

Name of work

From

To

042040

Name of Contractor of nature of Agency

Date of commencement of work

Date

Full description, etc. of work

Number

Length

Breadth

Depth

Contents

Reference
to last
Measurement

1

2

3

4

5

6

7

8

Specifications and directions of engineer in charge work.

Quantity vide, A8 per prepared in excel book 5

Page no. of:- (57) - Nil

CRS. 272.00 ✓

55) Supplying base type suitable for 280 TS Single/twin lamp & Subge Rion armoured luminaire optical reflection. provided with H.F. electronic Ballast. push fit type trap holders & main connections.

channel cover & they be made of CRCA and sheet and finishing is done with store crumpled white with end caps made of engineering plastic 14x1-28 mm etc as per Specifications & direct

- ions of engineer in charge work.

MEASUREMENT BOOK

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	Quantity vide AS per prepared in cold book	3	4	5	6	7	8
	Page no of: - (58) :-					Nil	-
	CRS. 990.00						

(58) Fixing all types and as Capacities Fluorescent / Tiled Ceiling / Spot light / CFL fitting indoors on the wall / Ceiling / rafters / girders using 23/10076 twisted PVC insulated wires, required nos of round blocks and Camps. A) on wall / Ceiling / rafters girders etc as per specifications and directions of engineer in charge work.

Quantity vide, AS per prepared in cold book - and page no of: - (57) :- Nil

CRS 98.00

(59) Supplying Capacitors type Ceiling fan complete with down rod

M. A. R. 57 (Rule 116)
Measurement Book

No. E

542041

Serial No.
Name of work From To
Name of contractor of nature of Agency
Date of commencement of work

Date	Full description, etc. of work	Number	Dimensions			Contents	Reference to last Measurement
			Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Quantity vide, AS per prepared in cold book - and page no of: - (60) :-					20.00 units	47520.00
	CRS. 2376.00						

(59) Fixing all types and as Capacities Fluorescent / Tiled Ceiling / Spot light / CFL fitting indoors on the wall / Ceiling / rafters / girders using 23/10076 twisted PVC insulated wires, required nos of round blocks and Camps. A) on wall / Ceiling / rafters girders etc as per specifications and directions of engineer in charge work.

Quantity vide, AS per prepared in cold book - and page no of: - (60) :- 20.00 units

CRS. 2376.00

(60) Supplying Capacitors type Ceiling fan complete with down rod

No. E

Scanned with CamScanner

CRS-234.00

CRS-140.40

MEASUREMENT BOOK

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1		3	4	5	6	7	8
	(62) Labour charges for laying of 11/12 class 40 cable in existing trench size pipe / stone concrete pipe on wall on pole of existing trench duct. c) 65mm to 165mm for specifications and directions of engineer in charge work.						
	Quantity vide, A/R per prepared in excel book						
	- and page no of: (64) :- Nil ✓						
	(63) Rigging of trench of 0.6m deep x 0.50 width vide rectifying trench to the ruined ground level and Consolidating etc. Complete as per specifications and directions of engineer in charge work.						
	Quantity vide, A/R per prepared in excel book						
	- and page no of: (65) :- Nil ✓						
	(64) Supplying and fixing terminate circuit breakers on existing c&dit						

M. A. R. 57 (Rule 116)
Measurement Book

No. E

542043

Serial No. From To
Name of work
Name of Contractor of nature of Agency
Date of commencement of work

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1		3	4	5	6	7	8
	(65) Labour charges for laying of 11/12 class 40 cable in existing trench size pipe / stone concrete pipe on wall on pole of existing trench duct. c) 65mm to 165mm for specifications and directions of engineer in charge work.						
	Quantity vide, A/R per prepared in excel book						
	- and page no of: (66) :- Nil ✓						
	(66) d) 40-65 Amps DP. Breaker.						
	Quantity vide, A/R per prepared in excel book						
	- and page no of: (67) :- Nil ✓						
	(67) Supplying and fixing of class A (medium duty) size pipe of wall thickness no.						

MEASUREMENT BOOK

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1		3	4	5	6	7	8
	less than 2.25mm on pole/wall/chain covering with necessary clamp ing arrangements for 11 KV cable of 11 KV class etc as per specifications Quantity vide AR per prepared in excel book - and page no of: - Nil @ R.S. 345.00						
	(67) Supplying & fixing L.T. Cast iron pot heads suitable for 11 KV class 11 KV cable filled with necessary bitumen, insulating compound complete with manhole, damp, bulb, rods and washers etc as per speci- fications and directions of engineer in charge work. Quantity vide AR per prepared in excel book - and page no of: - Nil @ R.S. 250.00						
(68)	Supply and fixing of baculite D/P Socket/Switch with/without cover						

M. A. R. 57 (Rule 116)
Measurement Book

No. E

542044

Serial No.
Name of work From To
Name of Contractor of nature of Agency
Date of commencement of work

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1		3	4	5	6	7	8
	indicator over existing road bend on flush with I. using group H material etc as per of engineer in charge work. Quantity vide AR per prepared in excel book - and page no of: - Nil @ R.S. 194.00						
	(69) Fabricating Supplying and mounting on box made out with suitable each along/wall mounting, fully dimensioned with provision for better heat dissipation. provided with hinged front cover, equipped with tamper proof locking arrangements with suitable size clamps with necessary Cable entry pipe with gland and box should be finished with 2 coats of						

MEASUREMENT BOOK

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1		3	4	5	6	7	8
	red oxide primer paint and finally finished ii-220gms/lb per sq ft of work. - and price no of:- (70) :- Nil ✓						
	Quantity vide, 118 per prepared in excel book						
	(70) Supplying and fixing regular incit distribution boards on wall/wood beam / flush mounting using reputed clamps, beads, nuts etc. with provision for fixing suitable type capacity incit 8 Ringe phase / 3 phase single phase with powder coated painting etc. complete. ii double down group. A etc as per Specification and directions of engineer in charge work.						
	Quantity vide, 118 per prepared in excel book						

M. A. R. 57 (Rule 116)
Measurement Book

No. E

542045

Serial No.
Name of work From To
Name of Contractor of nature of Agency
Date of commencement of work

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1		3	4	5	6	7	8
	Supplying exhaust fan of 1440 Rpm of 300mm (12") size with bracket blades complete for light duty suitable to operate on 230V 50Hz, AC etc as per Specification and directions of engineer in charge work.						
	Quantity vide, 118 per prepared in excel book						
	- and price no of:- (71) :- Nil ✓						
	CRS. 6138.00						
	(72) Fixing one exhaust fan in the roof already left in the wall with bolts and nuts and 5 cmph, ceiling stake with sufficient						
	Quantity vide, 118 per prepared in excel book						
	- and price no of:- (72) :- 2.00 mtr ✓						
	CRS. 1700.00						
	3400.00						

MEASUREMENT BOOK

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1		2	3	4	5	6	7
	Length of 23/0.0025 inch PVC insulated twin core wire, dead per specifications and directions of engineer in charge work.						
	Quantity vide, AR per prepared in detail book						
	- and page no of: - (73) :- 2.00 mtrs						
	CRS. 412.00						824.00
	(73) Supplying and running 600 Aluminiu: wire round on oblong type but head fitting with 60 wire guard glass cover with 15 mtrs 230V CRL clasp of 8 per specifications and directions of engineer in charge work.						
	Quantity vide, AR per prepared in detail book						
	- and page no of: - (74) :- 2.00 mtrs						
	CRS. 952.00						1904.00
(74)	Supply of recess mounted rolling type LED Square on round Down						

M. A. R. 57 (Rule 116)

No. E

542016

Serial No.

Name of work

Name of Contractor of nature of Agency

Date of commencement of work

From

To

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1		2	3	4	5	6	7
	Light 12 watts with 4/6w 5u 10 LED lamp Rib fabricated from Die cast aluminium with white powder coated preformed to various connections with suitable drawer & having 8 wiring unit of aluminium die cast eye ball & LED lamp position referred by circular wire Spring 5watts separately against any manufacturing defect arising under standard electrical condition. etc as per specifications and directions of engineer in charge work.						
	Quantity vide, AR per prepared in detail book						
	- and page no of: - (75) :- 40.00 mtrs						
	CRS. 1868.00						74720.00

Total RS = - 693341.68

No. E

5420A7

Date	Full description, etc. of work	Dimensions						Contents	Reference to last Measurement
		Number	Length	Breadth	Depth				
1		3	4	5	6	7			
2	<i>CERTIFICATE :-</i> I certify that the above work done is South factory completed. I certify that the there is no defects have been cleared to site. M/S K. J. S. D. 18/11/2020	Add KRIDL charge @ 4% = 29733.67 Add GST @ 12% = 823.201.00 Grossed Total RS :- 8048278.35 2935.80	Net to be paid Rs. 22732.8 As per Executive Engineer, R.R. Nagar, Sub-division, KRIDL, Ghatampur 993580						

[illegible]